



Substances Tested and Reporting Limits:

	Screen Report Limit	Confirm Report Limit
<b>OPIATES</b>	20 ng/mL	
Dihydrocodeine / Hydrocodol - Free		5.0 ng/mL
Codeine - Free		5.0 ng/mL
Morphine - Free		5.0 ng/mL
Hydrocodone - Free		5.0 ng/mL
6-Monacetylmorphine - Free		1.0 ng/mL
Hydromerphone - Free		1.0 ng/mL
<b>COCAINE / METABOLITES</b>	20 ng/mL	
Cocaine		20 ng/mL
Cocaine		20 ng/mL
Benzoylcegonine		50 ng/mL
<b>BENZODIAZEPINES</b>	100 ng/mL	
Diazepam		20 ng/mL
Nordiazepam		20 ng/mL
Oxazepam		20 ng/mL
Temazepam		20 ng/mL
Clobazam		20 ng/mL
Chlordiazepoxide		20 ng/mL
Lorazepam		5.0 ng/mL
Clonazepam		2.0 ng/mL
7-Amino Clonazepam		5.0 ng/mL
Alprazolam		5.0 ng/mL
Alpha-Hydroxyalprazolam		5.0 ng/mL
Midazolam		5.0 ng/mL
Triazolam		2.0 ng/mL
Hydroxytriazolam		5.0 ng/mL
Hydroxyethylflurazepam		5.0 ng/mL
Desalkylflurazepam		5.0 ng/mL
Flurazepam		2.0 ng/mL
Estazolam		5.0 ng/mL
<b>CANNABINOIDS</b>	10 ng/mL	
Delta-9 THC		0.5 ng/mL
Delta-9 Carboxy THC		5.0 ng/mL
11-Hydroxy Delta-9 THC		1.0 ng/mL
<b>AMPHETAMINES</b>	20 ng/mL	
Ephedrine		5.0 ng/mL
Pseudoephedrine		5.0 ng/mL
Phenylpropanolamine		5.0 ng/mL
Norpseudoephedrine		5.0 ng/mL
Amphetamine		5.0 ng/mL
Phentermine		10 ng/mL
<b>BARBITURATES</b>	0.040 mcg/mL	
Butabarbital		0.20 mcg/mL
Butalbital		0.20 mcg/mL
Amobarbital		0.20 mcg/mL
Pentobarbital		0.20 mcg/mL
Secobarbital		0.20 mcg/mL
Phenobarbital		0.20 mcg/mL
<b>METHADONE</b>	25 ng/mL	
Methadone		50 ng/mL
EDDP		50 ng/mL
<b>PHENCYCLIDINE</b>	10 ng/mL	
Phencyclidine		5.0 ng/mL
<b>METHAMPHETAMINE / MDMA</b>	20 ng/mL	
Methamphetamine		5.0 ng/mL
MDA		5.0 ng/mL
MDMA		5.0 ng/mL
MDEA		10 ng/mL
<b>OXYCODONE / OXYMORPHONE</b>	10 ng/mL	
Oxycodone - Free		5.0 ng/mL
Oxymorphone - Free		2.0 ng/mL

Screening Analysis by Enzyme-Linked Immunosorbent Assay (ELISA)

Confirmation Analysis by Gas Chromatography (GC/MS) or High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)